

# R09 ONE SHOT

## B&W One-shot film Developer

**R09 NEW** is characterised by very good contour sharpness and high emulsion speed yield. The subject contrast can be influenced by varying the dilution of the concentrate.

### Developing times at 20° C

Dilution 1 + 25 or 1 + 50 (Small tank processing): Agitation: Small tanks - continuously for the first minute, and then tilt every 30 seconds.

The film development times listed below are guidelines. Through variations in processing the result can be influenced according to requirements. (see diagram)

Chemistry produced by Connect Chemicals Production & Services GmbH, Vaihingen/Enz as Rodinal, Converted by compard KG, D- 21502 Geesthacht  
Made in Germany

Cont.: 125 ml

Art.No.: AFRO12

nur gespült ins Duale System



**Corrosive, Dangerous for the environment** • Contains 4-aminophenol and 2-5% potassium hydroxide • Causes burns. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Possible risk of irreversible effects. Keep locked up and out of the reach of children.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid release to the environment. Refer to special instructions/safety data sheets.

**Ätzend, Umweltgefährlich** • Enthält 4-Aminophenol und 2-5% Kaliumhydroxid - Verursacht Verätzungen. Giftig für Wasserorganismen, kann in Gewässern längerfristig schädliche Wirkungen haben. Irreversibler Schaden möglich. • Unter Verschluss und für Kinder unzugänglich aufbewahren. Bei Berührung mit den Augen sofort gründlich mit Wasser abspülen und Arzt konsultieren. Bei der Arbeit geeignete Schutzkleidung, Schutzhandschuhe und Schutzbrille/Gesichtsschutz tragen. Bei Unfall oder Unwohlsein sofort Arzt zuziehen (wenn möglich, dieses Etikett vorzeigen). Freisetzung in die Umwelt vermeiden. Besondere Anweisungen einholen/Sicherheitsdatenblatt zu Rate ziehen.

Producer	Filmtype	Min 1+25	Min 1+50
FUJI	NEOPAN 100 Acros	6	-
	NEOPAN 400 / 1600	4,5 / 3,5	8
ILFORD	PAN F	6	12
	FP 4	8	18
	HP 5	8	-
	DELTA 100 / 400	9 / 8	16 / 18
	DELTA 3200	11	-
KODAK	Plus-X	6	13
	TRI X	7	14
	T-MAX 100	5½	15
	T-MAX 400	6	11
	T-MAX 3200	8	16
ROLLEI	IR ISO 64 (Filter 700nm)	8	-
	IR ISO 200 (without Filter)	8	-
ROLLEI	PAN & ORTHO 25, ISO 25	8	-
	PAN & ORTHO 25, ISO 50	9	-
ROLLEI	RETRO 80S	7	14
	RETRO 100 (APX100)	8	17
	SUPERPAN 200 PRO	8	17
	RETRO 400 (APX400)	10	20
	RETRO 400S	11	20½