

Material Safety Data Sheet According to 91/155 EEC Printing date: 07.05.2010 Reviewed on: 11.09.2008

Page: 1/5

1 Identification of the substance/preparation and of the company/undertaking

· Product details

• Trade name: C41 digibase film developer PART A

· Article number: RDC02FA, RDC01FA

- · Application of the substance / the preparation Photographic color-developer concentrateat
- · Manufacturer/Supplier:

compard KG

Mercatorstraße 65

D-21502 Geesthacht

Germany

• Further information obtainable from: Productmanagement, Tel.: + 49 4152 1392-844

• Information in case of emergency: Telefon: +49 4152 1392-844

2 Composition/information on ingredients

- · Chemical characterization
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:						
CAS: 584-08-7	POTASSIUM CARBONATE	Xi; R36	20-30 %			
EINECS: 209-529-3						
CAS: 1310-58-3	POTASSIUM HYDROXIDE	C; R 22-35	-1 %			
EINECS: 215-181-3						

· Additional information:

For the wording of the listed risk phrases refer to section 16

3 Hazards identification

· Hazard description::



Xi: Irritant

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculat ion procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R22 : Harmful if swallowed.

R31 : Contact with acids liberates toxic gas.

R35 : Causes severe burns.R36 : Irritating to eyes.

• Classification system: The classification is according to the latest edit ions of the EU-lists, and

extended by company and literature data.



Material Safety Data Sheet According to 91/155 EEC

Printing date: 07.05.2010 Reviewed on: 11.09.2008

> (Contd. of page 1) Page: 2/5

· Trade name: C41 digibase film developer PART A

4 First aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

5 Fire-fighting measures

• Suitable extinguishing agents: CO2, powder or water spray.

Fight larger fires with water spray or alcohol resistant foam.

• Further information: Keep containers cool by spraying with water.

• **Protective equipment:** No special measures required.

6 Accidental release measures

• Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

• Measures for environmental protection: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

• **Measures for cleaning/collecting:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

7 Handling and storage

• Handling: Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking

and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.

• Storage: Keep containers tightly closed. Store in a well ventilated, cool, dry area.

Storage temperature should be higher than +5°C

• Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

1310-58-3 potassium hydroxide

TLV-C = 2 mg/m³ MAK (Deutschland, TRGS 900) = NAv TLV-STEL = 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

• Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs,

beverages and feed.

(Contd. on page 3)



Material Safety Data Sheet According to 91/155 EEC Printing date: 07.05.2010 Reviewed on: 11.09.2008

> (Contd. of page 2) Page: 3/5

· Trade name: C41 digibase film developer PART A

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resi stant to the product/ the substance/ the preparation. Due to missing tests no recommendat ion to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

• General Information Form: Fluid

Colour:: According to product specification

Odour: Characteristic

• Change in condition Melting point/Melting range: Undetermined.

Boiling point/Boiling range: >100°C

• Flash point: Not applicable.

• **Self-igniting:** Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

• Vapour pressure at 20°C: 18 hPa • Density at 20°C: 1,39 g/cm³

· Solubility in / Miscibility with water: Fully miscible.

• **pH-value at 20°C:** 11,91



Material Safety Data Sheet According to 91/155 EEC

Printing date: 07.05.2010 Reviewed on: 11.09.2008

> (Contd. of page 3) Page: 4/5

· Trade name: C41 digibase film developer PART A

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Dangerous reactions No dangerous reactions known.
- Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

· LD/LC50 values relevant for classification:							
584-08-7 POTASSIUM CARBONATE							
Oral	LD50	>2000 mg/kg					
1310-58-3 POTASSIUM HYDROXIDE							
Oral	LD50	273 mg/kg (rat)					

• Primary irritant effect: • on the skin: Caustic effect on skin and mucous membranes.

• on the eye: Strong caustic effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

· Ecotoxical effects: Not available

· Remark: Not available

· General notes: Not available



Material Safety Data Sheet According to 91/155 EEC

Printing date: 07.05.2010 Reviewed on: 11.09.2008

> (Contd. of page 4) Page: 5/5

· Trade name: C41 digibase film developer PART A

13 Disposal considerations

EWC waste disposal No. 09 01 01 Water-based developer and activator solutions

- **Recommendation:** Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of according to local and national regulations.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· Not classified

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classi fied and marked in accordance with EU Direct ives / Ordinance on Hazardous Materials.

- · Code letter and hazard designation of product: Xi: Irritant
- **Risk phrases:** R22 Harmful if swallowed.
 - R31 Contact with acids liberates toxic gas.
 - R35 Causes severe burns.
 - R36 Irritating to eyes.
- Safety phrases: 24 Avoid contact with skin.
 - In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

16 Other information

The use of the preparation is restricted to professional users!

The above mentioned data correspond to our present state of knowledge and experience.

The safety data sheet serves as description of the products in regard to necessary safety measures.

The indications have not the meaning of guarantees on properties.

- · Department issuing MSDS: Productmanagement department
- · Contact: Tel.: + 49 4152 1392 844