

Material Safety Data Sheet According to 91/155 EEC

1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** C41 digibase film developer PART C
- **Article number:** RDC02FB, RDC01FB
- **Application of the substance / the preparation** Photographic color-developer concentrate
- **Manufacturer/Supplier:**
compard KG
Mercatorstraße 65
D-21502 Geesthacht
Germany
- **Further information obtainable from:** Productmanagement, Tel.: + 49 4152 1392-844
- **Information in case of emergency:** Telefon : + 49 4152 1392-844

2 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of substances listed below with nonhazardous additions.

• Dangerous components:			
CAS: 25646-77-9 EINECS: 247-162-0	P-PHENYLENEDIAMINE DERIVATIVE	T N R:25-43-48/22-50-53	3-5 %
CAS: 7681-57-4 EINECS: 231-673-0	DINATRIUMDISULFIT	Xn; R22, R31, Xi; R41	1-5 %
CAS: 7732-18-5 EINECS: 231-791-2	WATER	-	85-90 %

- **Additional information:**
For the wording of the listed risk phrases refer to section 16

3 Hazards identification

- **Hazard description::**



Xn: Noxious
N: Dangerous for the environment

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the „General Classification guideline for preparations of the EU“ in the latest valid version.
R22 Harmful if swallowed.
R43 May cause sensitization by skin contact.
R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Classification system:** The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

Material Safety Data Sheet According to 91/155 EEC

(Contd. of page 1)
Page: 2/5

• **Trade name:** C41 digibase film developer PART C

4 First aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

5 Fire-fighting measures

- **Suitable extinguishing agents:** CO₂, powder or water spray.
Fight larger fires with water spray or alcohol resistant foam.
- **Further information:** Keep containers cool by spraying with water.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:** Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

7 Handling and storage

- **Handling:** Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.
- **Storage:** Keep containers tightly closed. Store in a well ventilated, cool, dry area.
Storage temperature should be higher than +5°C
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**
P-PHENYLENEDIAMINE DERIVATIVE
TLV-TWA = NAV
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:** General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

(Contd. on page 3)

Material Safety Data Sheet According to 91/155 EEC

(Contd. of page 2)

Page: 3/5

• **Trade name:** C41 digibase film developer PART C

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• **Respiratory protection:** Not required.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

• General Information	Form:	Fluid
	Colour:	yellow
	Odour:	Characteristic
• Change in condition	Melting point/Melting range:	Undetermined.
	Boiling point/Boiling range:	>100°C
• Flash point:	Not applicable.	
• Self-igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
• Vapour pressure at 20°C:	18 hPa	
• Density at 20°C:	1,026 g/cm ³	
• Solubility in / Miscibility with water:	Fully miscible.	
• pH-value at 20°C:	2,82	

(Contd. on page 4)

Material Safety Data Sheet According to 91/155 EEC

(Contd. of page 3)

Page: 4/5

• Trade name: C41 digibase film developer PART C

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** Keep away from alkalis. Keep away from oxidising material(s).
- **Dangerous decomposition products:** Formation of CO₂, CO, NO_x, SO₂ is possible.

11 Toxicological information

• Acute toxicity:

• LD/LC50 values relevant for classification:		
P-PHENYLENEDIAMINE DERIVATIVE		
Oral	LD50	58 mg/kg

- **Primary irritant effect:**
 - **on the skin:** Caustic effect on skin and mucous membranes.
 - **on the eye:** Strong caustic effect.
 - **Sensitization:** No sensitizing effects known.

 • **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

Ecotoxicity (INGREDIENTS INFORMATION)
P-PHENYLENEDIAMINE DERIVATIVE
LC50 (Daphnia, 48h) = 0,63 - 0,78 mg/l
Mobility Not available

Persistence and Degradability Not available

Bioaccumulative potential Not available

Other adverse effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

BSB : 30 g/l
CSB : 250 g/l
WGK-Klasse (Deutschland) : 3

13 Disposal considerations

EWC waste disposal No. 09 01 01 Water-based developer and activator solutions

- **Recommendation:** Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of according to local and national regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

(Contd. on Page 5)

Material Safety Data Sheet According to 91/155 EEC

(Contd. of page 4)

Page: 5/5

• Trade name: C41 digibase film developer PART C

14 Transport information

UN N°: 3265

PSN : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Organic amine sulphate)

ADR/RID

Class: 8	Labels : 8	Pack. Group:III
Tun.Code : E	TREMc card : 8.3265E-301	Spec. Prov.:274
Pack. Inst.: P001,IBC03,LP01,R001		Lim. Quant.:LQ7



IMDG

Class: 8	Subs. Risk :NA	Pack. Group:III
EmS fire: F-A	EmS Spill. :S-B	IBC. Inst. :IBC03
Pack. Inst.: P001,LP01	Lim. Quant.:5L	Mar.Poll:N

ICAO/IATA

Class: 8	Subs. Risk :NA	Pack. Group:III
Passenger and Cargo Aircraft.	Pkg Inst:818	Max Net Qty/Pkg:5L
Cargo Aircraft Only	Pkg Inst:820	Max Net Qty/Pkg:60L
Ltd Qty	Pkg Inst:1L	Max Net Qty/Pkg:Y818

15 Regulatory information

• Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

• Code letter and hazard designation of product: Xn, N

- Risk phrases: R22 Harmful if swallowed.
- R43 May cause sensitization by skin contact.
- R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Safety phrases: S24 Avoid contact with skin.
- S37 Wear suitable gloves.
- S60 This material and its container must be disposed of as hazardous waste.
- S61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

Other information :

WGK: 3

16 Other information

The use of the preparation is restricted to professional users!

The above mentioned data correspond to our present state of knowledge and experience.

The safety data sheet serves as description of the products in regard to necessary safety measures.

The indications have not the meaning of guarantees on properties.

• Department issuing MSDS: Productmanagement department

• Contact: Tel.: + 49 4152 1392 844