

Material Safety Data Sheet According to 91/155 EEC Printing date: 07.05.2010 Reviewed on: 11.09.2008

Page: 1/5

## 1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: C41 digibase FIXER

· Article number: RDC01BB

- · Application of the substance / the preparation Photographic color-developer concentrateat
- · Manufacturer/Supplier:

compard KG

Mercatorstraße 65

D-21502 Geesthacht

Germany

• Further information obtainable from: Productmanagement, Tel.: + 49 4152 1392-844

• Information in case of emergency: Telefon: +49 4152 1392-844

## 2 Composition/information on ingredients

· Chemical characterization

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7681-57-4	Dinatriumdisulfit	XN,R22,R31,R41	2-7 %
EINECS: 231-673-0			
CAS: 7783-18-8	ammonium thiosulfat		50-60 %
EINECS: 2319820			
CAS: 7732-18-5	WATER	-	30-40 %
EINECS: 231-791-2			

#### · Additional information:

For the wording of the listed risk phrases refer to section 16

#### 3 Hazards identification

· Hazard description: Not applicable

• Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculat ion procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest edit ions of the EU-lists, and extended by company and literature data.



Material Safety Data Sheet According to 91/155 EEC

Printing date: 07.05.2010 Reviewed on: 11.09.2008

> (Contd. of page 1) Page: 2/5

• Trade name: C41 digibase film FIXER

#### 4 First aid measures

· General information: No special measures required.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. If symptoms persist consult doctor.

### **5 Fire-fighting measures**

· Suitable extinguishing agents: CO2, powder or water spray.

Fight larger fires with water spray or alcohol resistant foam.

• Further information: Keep containers cool by spraying with water.

• **Protective equipment:** No special measures required.

#### 6 Accidental release measures

• Person-related safety precautions: Not required.

· Measures for environmental protection:

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

• **Measures for cleaning/collecting:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

## 7 Handling and storage

· Handling:

Information for safe handling:

 Information about fire - and explosion protection:

 No special measures required.

 No special measures required.

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: None.

## 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

• Additional information: The lists valid during the making were used as basis.

• Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs,

beverages and feed.



Material Safety Data Sheet According to 91/155 EEC Printing date: 07.05.2010 Reviewed on: 11.09.2008

> (Contd. of page 2) Page: 3/5

· Trade name: C41 digibase film FIXER

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resi stant to the product/ the substance/ the preparation. Due to missing tests no recommendat ion to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

• General Information Form: Fluid

Colour: yellow
Odour: Ammoniac

• Change in condition Melting point/Melting range: Undetermined.

**Boiling point/Boiling range:** >100°C

• Flash point: Not applicable.

• **Self-igniting:** Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

• Vapour pressure at 20°C: 17 hPa • Density at 20°C: 1,36 g/cm³

· Solubility in / Miscibility with water: Fully miscible.

• pH-value at 20°C: 6,65



Material Safety Data Sheet According to 91/155 EEC

Printing date: 07.05.2010 Reviewed on: 11.09.2008

> (Contd. of page 3) Page: 4/5

· Trade name: C41 digibase film FIXER

# 10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Dangerous reactions No dangerous reactions known
- Dangerous decomposition products: No dangerous decomposition products known

### 11 Toxicological information

- Acute toxicity: No toxicological reactions known
- Primary irritant effect: on the skin: Caustic effect on skin and mucous membranes.
  - on the eye: Strong caustic effect.
  - Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### 12 Ecological information

#### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

## EWC waste disposal No. 09 01 04 Fixer solutions

- **Recommendation:** Dispose of according to local and national regulations.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.



Material Safety Data Sheet According to 91/155 EEC

Printing date: 07.05.2010 Reviewed on: 11.09.2008

> (Contd. of page 4) Page: 5/5

• Trade name: C41 digibase film FIXER

## 14 Transport information

ADR/RID -

IMDG -

ICAO/IATA -

## 15 Regulatory information

# · Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

• Safety phrases: S37 Wear suitable gloves.

S60 This material and its container must be disposed of as hazardous waste.

S61 Avoid release to the environment. Refer to special instructions/ Safety data sheets.

S62 If swallowed, do not induce vomiting: seek medical advice immediately and

show this container or label.

## · Special labelling of certain preparations:

Safety data sheet available for professional user on request.

#### 16 Other information

The use of the preparation is restricted to professional users!

The above mentioned data correspond to our present state of knowledge and experience.

The safety data sheet serves as description of the products in regard to necessary safety measures.

The indications have not the meaning of guarantees on properties.

· Department issuing MSDS: Productmanagement department

· Contact: Tel.: + 49 4152 1392 844